



భారతీయ ప్రమాణముల బ్యూరో

వినియోగదారుల వ్యవహారాలు, ఆహార మరియు ప్రజాపంపిణీ వ్యవస్థ,
మంత్రిత్వ శాఖ ఆధ్వర్యంలో, భారత ప్రభుత్వం

BUREAU OF INDIAN STANDARDS

Under the Ministry of Consumer Affairs,
Food and Public Distribution, GOVT. OF INDIA

भारतीय मानक ब्यूरो

उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय
के अंतर्गत, भारत सरकार

पहली मंजिल, सी ब्लॉक, उद्योग भवन, वी.यु.डी.ए.कॉम्प्लेक्स,
सिरीपुरम जंक्शन, विशाखपट्टणम - ५३० ००३. (ऐ.पी.)
1st Floor, C Block, Udyog Bhavan, VUDA Complex
Siripuram Junction, Visakhapatnam - 530 003. (A.P.)



GSTIN : 37AAATB0431G1ZA email : vbo@bis.gov.in, Fax : 0891-2712837, दूरभाष / Phones : 0891-2712831, 0891-2712834

SPEED POST

Our Ref : MDV/5588/CM/L- 6600046607

03 May 2019

Subject : Grant of BIS Certification Marks Licence No. CM/L-6600046607 as per IS 8887:2017

**M/s Mixxon Petrochemicals Private Limited
AIE Plot number 09 Pedagantyada,
Pedagantyada
Distt: Visakhapatnam
Andhra Pradesh-530 044**

Dear Madam(s)/Sir(s),

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

Product: Bitumen Emulsion for Roads (Cationic Type)

Variety : Grade- RS-1

As per IS: 8887:2017

The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.

2. The number assigned to this Licence is **CM/L 6600046607** which has been made operative from 16/04/2019 and is valid up to 15/04/2020. The licence number shall invariably be referred to in your future correspondence.

According to Sub-Paragraph (1) & (3) of Paragraph 5 of Scheme-I of Schedule-II under Bureau of Indian Standards (Conformity Assessment) Regulations, 2018, the annual licence fee of Rs.1000.00 and the marking fee for use of Standard Mark as per Annexure-I of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you with effect from 16/04/2019 for the period of validity of the licence in advance.

Signature

मुख्यालय : मानक भवन, 9, बहादूरशाह जफर मार्ग, नई दिल्ली - 110 002

Head Quarters : Manak Bhavan, 9, Bahadur Shah Zafar Marg, New Delhi - 110 002. Website : www.bis.gov.in

3. Minimum Marking fee stipulated in Annexure-I of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you regardless of the fact whether you actually mark your product or not with the Standard Mark. Our Receipts No. 0066PC2019000056 dated.16/04/2019 for the licence fee and the minimum marking fee for the first operative period.

4. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher, shall be payable by you at the time of renewal.

5. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

6. The Scheme of Inspection and Testing (SIT) submitted by you and agreed by BIS or the Scheme of Inspection and Testing as specified by BIS will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.


7. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.

8. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.

9. This licence is granted for your manufacturing premises situated at AIE Plot number 09 Pedagantyada, Pedagantyada, Distt: Visakhapatnam, Andhra Pradesh-530 044, Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by BIS in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

Thanking you,

Yours faithfully,



(A.K. PUROHIT)
Scientist 'E' & Head

Encl: as above



भारतीय मानक ब्यूरो
मानक चिन्ह के उपयोग के लिए अनुज्ञप्ति

अनुज्ञप्ति (लाइसेंस) सं. सीएम/एल- 6600046607

यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर

मेसर्स मिक्सोन पेट्रोकेमिकल्स प्राइवेट लिमिटेड

स्थान- ए आई ई प्लाट नंबर. 09,

पेदागंटयाडा,

जिला- विशाखापटनम,

आंध्र प्रदेश- 530 044

को (जिसे इसमें आगे अनुज्ञप्तिधारी कहा गया है) इसकी प्रथम अनुसूची के पहले स्तंभ में विनिर्दिष्ट मानक चिन्ह का इस अनुसूची के तीसरे स्तंभ में दी गई किस्मों पर, उपयोग करने के लिए यह अनुज्ञप्ति प्रदान करता है। उन उत्पादित किस्मों पर चिन्ह का उपयोग उक्त अनुसूची के द्वितीय स्तंभ में समय-समय पर संशोधित अथवा पुनरीक्षित/संदर्भित संबद्ध भारतीय मानक (मानकों) के अनुसार के अनुसार/अनुरूप विनिर्मित हो।

2. इस अनुज्ञप्ति में अनुबंध अनुज्ञप्ति की शर्तों के लिए अनुज्ञप्तिधारी उत्तरदायी हैं। यह अनुज्ञप्ति पहली अनुसूची में यथा-उल्लिखित नाम कारखाना के पते और के लिए विधिमान्य होगा और इसे स्कीम-1 में निर्दिष्टानुसार नवीकृत कराया जा सकता है।

अनुसूची


(अनुज्ञप्ति सं सीएम/एल- 6600046607)

मेसर्स : मिक्सोन पेट्रोकेमिकाल्स प्राइवेट लिमिटेड,

स्थान- ए आई ई प्लाट नंबर. 09, पेदागंटयाडा,


जिला- विशाखापटनम, आंध्र प्रदेश- 530 044

विधिमान्यता 16 अप्रैल 2019 से 15 अप्रैल 2020 तक

मानक चिन्ह	भारतीय मानक	अनुज्ञप्ति का विषय क्षेत्र	चिह्नांकन फीस
(1)	(2)	(3)	(4)
IS 8887  6600046607	आईएस 8887 : 2017 सड़कों के लिए बिटूमेन पायस (धनायनिक टाईप)	ग्रेड: आर एस-1,	एक वर्ष की प्रचालन अवधि के लिए न्यूनतम मुहरांकन शुल्क रु. 76000/- के साथ सभी इकाईयों के लिए रु.49.00 प्रति इकाई। इकाई = 1 टन एक प्रचालन वर्ष के लिए न्यूनतम चिह्नांकन शुल्क अग्रिम में देय होगी जो अगले नवीकरण में अग्रणीत होगी।

आज वर्ष दो हजार उन्नीस के मई माह की 3 तारीख को हस्ताक्षरित, मुहरबंद किया गया।

भारतीय मानक ब्यूरो के लिए



ए के पुरोहित

वैज्ञानिक-ई एवं प्रमुख



BUREAU OF INDIAN STANDARDS

Licence for the use of STANDARD MARK

Licence No. CM/L - 6600046607

By virtue of the power conferred on it by the BUREAU OF INDIAN STANDARDS ACT, 2016 (11 of 2016) the BUREAU hereby grants to

M/s Mixxon Petrochemicals Private Limited
AIE Plot number 09 Pedagantyada
Pedagantyada
Distt: Visakhapatnam,
Andhra Pradesh-530 044

(hereinafter called 'the Licensee) this Licence to use the Standard Mark set out in the first column of the First Schedule hereto, upon or in respect of the varieties set out in the third column of the said Schedule which is manufactured in accordance with/conforms to the related Indian Standard(s) referred to in the second column of the said Schedule as from time to time amended or revised.


2. This Licence carries obligations on part of the licensee as conditions of licence. This licence shall be valid for the name, factory address and period as mentioned in the first schedule and may be renewed as prescribed in the scheme.

FIRST SCHEDULE

Schedule of Factory details and scope under Licence No.CM/L- 6600046607


Name M/s Mixxon Petrochemicals Private Limited
AIE Plot number 09 Pedagantyada
Pedagantyada
Distt: Visakhapatnam,
Andhra Pradesh-530 044

Validity from 16/04/2019 to 15/04/2020

Standard Mark	Indian Standard	Scope of Licence	Marking Fee
(1)	(2)	(3)	(4)
<p>IS 8887</p>  <p>L-6600046607</p>	<p>IS 8887 :2017</p> <p>Bitumen Emulsion for Roads (Cationic Type)</p>	<p>Grade-RS-1</p>	<p>Rs.49.00 per unit for all the units with a minimum marking fee of Rs.76,000/- during an operative period of one year</p> <p>Unit -One Tonne</p> <p>Minimum marking fee for one operative year payable in advance which will be carried over to next renewal(s)</p>

Signed, Sealed and Dated this 3th day of May month of Year 2019


for BUREAU OF INDIAN STANDARDS



A.K. PUROHIT
SCIENTIST E & HEAD
BUREAU OF INDIAN STANDARDS
VISAKHAPATNAM BRACH OFFICE


उपाबंध
(अनुज्ञप्ति सं. सीएम/एल- 6600046607)
अनुज्ञप्ति की शर्तें

- (1) मानक चिन्ह का डिजाइन अनुज्ञप्ति में दी गई प्रतिकृति के आनुषंगिक होगा।
- (2) मानक चिन्ह के फोटोग्रफिक विस्तार अथवा लघुकरण का उपयोग भी किया जा सकता है, जब तक ब्यूरो द्वारा कोई अन्य विनिर्दिष्टि न दिए गए हों।
- (3) अनुज्ञप्तिधारी उस संबद्ध माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा की भारतीय मानक के अनुसार अनुरूपता के लिए उत्तरदायी होगा जिसके लिए मानक चिन्ह का उपयोग अथवा अनुप्रयोग किया गया है।
- (4) अनुज्ञप्तिधारी उस, माल वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा के लिए मानक चिन्ह का उपयोग नहीं करेगा जो गैर-अनुरूप अथवा अनुज्ञप्ति के विषय-क्षेत्र से बाहर हैं।
- (5) जिस माल और वस्तुओं के लिए मानक चिन्ह का उपयोग किया गया है अगर वे संबद्ध मानक की अपेक्षाओं के अनुरूप नहीं हैं, तो ब्यूरो अनुज्ञप्तिधारी अथवा उसके प्रतिनिधि को ऐसे गैर-अनुरूपता वाले माल के वापिस लेने का निदेश दे सकता है।
- (6) अनुज्ञप्ति के आस्थगन अथवा निलंबन के दौरान अथवा उसकी समाप्ति अथवा रद्द होने के पश्चात किसी संबद्ध माल, वस्तु, प्रक्रिया, उपयोग अथवा सेवा के लिए मानक चिन्ह का उपयोग अथवा अनुप्रयोग नहीं किया जाएगा।
- (7) अनुज्ञप्तिधारी को उस अनुरूपता आकलन योजना के उपाबंधों का पालन करना होगा जिसके अंतर्गत उसे अनुज्ञप्ति प्रदान किया गया है, जिसमें लेबलिंग और चिन्हांकन अपेक्षाएं भी शामिल हैं।
- (8) अनुज्ञप्तिधारी ब्यूरो द्वारा समय-समय पर यथा-विनिर्दिष्टि अभिलेख अनुरक्षित रखेगा।
- (9) अनुज्ञप्तिधारी अपने परिसरों में निरीक्षण अथवा लेखापरीक्षा करने से संबंधित सभी प्रकार की सहायता ब्यूरो को उपलब्ध कराएगा।
- (10) अनुज्ञप्तिधारी उत्पाद और मानक चिन्ह के उपयोग अथवा अनुप्रयोग से संबंधित जानकारी जब ब्यूरो को अपेक्षित हो, प्रदान करेगा।
- (11) यदि माल अथवा वस्तुओं पर मानक चिन्ह का उपयोग अथवा अनुप्रयोग के लिए अनुज्ञप्ति प्रदान किया गया हो तो अनुज्ञप्तिधारी को उन परेषिती, वितरकों, ब्यौहारी अथवा फुटकर विक्रेता की सूची देनी होगी, जिनको मानक चिन्ह वाले माल अथवा वस्तुओं की आपूर्ती की गई है।
- (12) ब्यूरो के अनुमोदन के बिना अनुज्ञप्ति किसी व्यक्ति को अंतरित नहीं किया जाएगा।
- (13) मानक चिन्ह वाले किसी माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा से संबंधित शिकायत प्रमाणित होने पर ब्यूरो अनुज्ञप्तिधारी अथवा उसके प्रतिनिधि को मानक मुहरांकित माल और वस्तुओं की मरम्मत अथवा बदलने अथवा पुनर्निर्माण के निर्देश दे सकता है।
- (14) अनुज्ञप्तिधारी को कम से कम एक माह के नोटिस दे कर ब्यूरो, अनुज्ञप्ति की किसी शर्त को संशोधन का अधिकार रखता है।



CONDITIONS OF LICENCE

1. The design of Standard Mark shall be identical to the facsimile given in the licence.
2. The photographic enlargement or reduction of the Standard Mark may also be used, unless otherwise specified by the Bureau.
3. The licensee shall be responsible for the conformity of the goods, article, process, system or service to the Indian Standard in relation to which Standard Mark is used or applied.
4. The licensee shall not use the Standard Mark in relation to goods, articles, process, system or service which are non-conforming or outside the scope of the licence.
5. If goods and articles in relation to which a Standard Mark has been used do not conform to the requirements of the relevant standard, the Bureau may direct the licensee or his representative to recall the non-conforming goods and articles.
6. The Standard Mark shall not be used or applied in relation to any goods, article, process, system or service during deferment or suspension, as the case may be, and after expiry or cancellation of the licence.
7. The licensee shall comply with the provisions of the conformity assessment scheme under which licence is granted, including labelling and marking requirements.
8. The licensee shall maintain records as specified by the Bureau from time to time.
9. The licensee shall provide the Bureau all assistance in connection with carrying out inspection or audit or evaluation, as applicable, at its premises.
10. The licensee shall provide information relating to production and use or applying of Standard Mark as and when it is required by the Bureau.
11. If the licence is granted to use or apply Standard Mark on goods or articles, the licensee shall provide the list of consignees, distributors, dealers or retailers to whom goods or articles with Standard Mark is supplied.
12. The licence shall not be transferred to any person without the prior approval of the Bureau.
13. If a complaint regarding quality of any goods, article, process, system or service bearing Standard Mark is established, the Bureau may direct the licensee or his representative, as the case may be, to repair or replace or reprocess the standard marked goods and articles.
14. The Bureau shall have the right to amend any of the conditions of licence by giving a notice of thirty days to the licensee.



GENERAL INSTRUCTIONS ON SIZES OF ISI MONOGRAM TO BE USED BY LICENSEES UNDER ISI CERTIFICATION MARKS SCHEME

Refer to the Standard Mark indicated in your license. Regarding size please note that :

- a) Photographic reduction in any size Figure is permissible; and
- b) Preferred dimensions as given in Table 1 be used as far as possible.




FIG. 1 MONOGRAM FOR STANDARD MARK

TABLE 1 PREFERRED DIMENSIONS ISI MONOGRAM

All dimensions in millimetres.

A	B	a	R	r	Size of Letter
2.5	1.9	0.2	0.4	-	1.0 mm
5	3.8	0.4	0.8	0.1	1.0 mm
10	7.5	0.7	1.7	0.2	2.0 mm
20	15	1.5	3.3	0.5	3.0 mm
40	30	2.9	6.7	1.0	4.0 mm
80	60	5.9	13.4	1.9	6.0 mm
160	120	11.7	26.7	3.8	10.0 mm
320	240	23.4	53.4	7.6	16.0 mm